


**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in this application:

**Listing of Claims:**

Claim 1 (original): A compound of formula I:



I

or a pharmaceutically acceptable salt thereof, wherein:

R<sup>1</sup> is selected from

- (a) -X-Aryl-Y-Z, and
- (b) -X-Heteroaryl-Y-Z,

wherein Aryl and Heteroaryl are unsubstituted or substituted with 1-3 groups independently selected from A;

Aryl is phenyl or naphthyl;

Heteroaryl is a monocyclic or fused bicyclic aromatic ring structure containing 1-4 heteroatoms independently selected from N, O, and S(O)<sub>n</sub>, wherein the monocyclic ring or each ring of the bicyclic ring structure is a 5-6 membered ring;

X is selected from the group consisting of a bond, CH<sub>2</sub>, CH(CH<sub>3</sub>), C(CH<sub>3</sub>)<sub>2</sub>, and C<sub>3</sub>-C<sub>6</sub>cycloalkylidene;

Y is selected from the group consisting of -CH=CH-, -CH(OH)CH(OH)-, -OCR<sup>7</sup>R<sup>8</sup>-, -SCR<sup>7</sup>R<sup>8</sup>-, and -CH<sub>2</sub>CR<sup>5</sup>R<sup>6</sup>-;

Z is selected from the group consisting of -CO<sub>2</sub>H and tetrazole;

A is selected from the group consisting of C<sub>1-4</sub> alkyl, C<sub>1-4</sub> alkenyl, -OC<sub>1-4</sub> alkyl, and halogen, wherein alkyl, alkenyl, and -Oalkyl are each optionally substituted with 1-5 halogens;

R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup>, and R<sup>8</sup> are each independently selected from the group consisting of H, halogen, C<sub>1-5</sub> alkyl, -OC<sub>1-5</sub> alkyl, C<sub>2-5</sub> alkenyl, -OC<sub>2-5</sub> alkenyl, C<sub>3-6</sub> cycloalkyl, phenyl, and -CO<sub>2</sub>H, wherein C<sub>1-5</sub> alkyl, -OC<sub>1-5</sub> alkyl, C<sub>2-5</sub> alkenyl, -OC<sub>2-5</sub> alkenyl, C<sub>3-6</sub> cycloalkyl, and phenyl are optionally substituted with 1-5 halogens, and C<sub>3-6</sub> cycloalkyl and phenyl are further optionally substituted with 1-3 groups independently selected from C<sub>1-3</sub> alkyl and -OC<sub>1-3</sub> alkyl, said C<sub>1-3</sub> alkyl and -OC<sub>1-3</sub> alkyl being optionally substituted with 1-3 halogens;

Or alternatively R<sup>7</sup> and R<sup>8</sup> may be joined to form a C<sub>3-6</sub> cycloalkyl group, said C<sub>3-6</sub> cycloalkyl group being optionally substituted with 1-3 halogens;

Or alternatively, when R<sup>1</sup> is -X-Phenyl-Y-Z, Y is -OCR<sup>7</sup>R<sup>8</sup>, and R<sup>7</sup> is selected from the group consisting of H, halogen, C<sub>1-5</sub> alkyl, -OC<sub>1-5</sub> alkyl, C<sub>2-5</sub> alkyl, -OC<sub>2-5</sub> alkyl, C<sub>3-6</sub> cycloalkyl, and phenyl, then R<sup>8</sup> may optionally be a 1-2-carbon bridge connected to the phenyl ring at the position ortho to Y, thereby yielding a 5 or 6-membered heterocyclic ring fused to the phenyl ring;

R<sup>2</sup> is C<sub>1-4</sub> alkyl, which is optionally substituted with 1-5 halogens;

R<sup>3</sup> is selected from the group consisting of

- (a) benzisoxazolyl,
- (b) benzisothiazolyl,
- (c) benzpyrazolyl,
- (d) Aryl
- (e) -C(=O)Aryl,
- (f) -C(=O)Heteroaryl,
- (g) -OAryl,
- (h) -OHeteroaryl,
- (i) -S(O)<sub>n</sub>Aryl, and
- (j) -S(O)<sub>n</sub>Heteroaryl,

wherein R<sup>3</sup> is optionally substituted with 1-3 substituent groups independently selected from halogen, C<sub>1-3</sub>alkyl, -OC<sub>1-3</sub>alkyl, and -SC<sub>1-3</sub>alkyl, wherein C<sub>1-3</sub>alkyl, -OC<sub>1-3</sub>alkyl, and -SC<sub>1-3</sub>alkyl are optionally substituted with 1-5 halogens;

each R<sup>4</sup> is optionally selected from H, halogen, C<sub>1</sub>-C<sub>5</sub> alkyl and -OC<sub>1</sub>-C<sub>5</sub> alkyl, wherein C<sub>1</sub>-C<sub>5</sub> alkyl and -OC<sub>1</sub>-C<sub>5</sub> alkyl are optionally substituted with 1-5 halogens;

n is an integer from 0-2; and

p is an integer from 1 to 3.

Claim 2 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein R<sup>3</sup> is selected from the group consisting of 3-benzisoxazolyl, -O-Phenyl, and -C(=O)Phenyl, wherein R<sup>3</sup> is optionally substituted with 1-3 substituents independently selected from halogen, -OC<sub>1</sub>-C<sub>3</sub>alkyl, and C<sub>1</sub>-C<sub>3</sub>alkyl, wherein said -OC<sub>1</sub>-C<sub>3</sub>alkyl and C<sub>1</sub>-C<sub>3</sub>alkyl are optionally substituted with 1-5 halogens.

Claim 3 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein R<sup>1</sup> is -X-Phenyl-Y-Z, wherein Phenyl is unsubstituted or substituted with 1-3 groups independently selected from A.

Claim 4 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein X is a bond.

Claim 5 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein X is CH<sub>2</sub>.

Claim 6 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein Y is -OCR<sup>7</sup>R<sup>8</sup>-, R<sup>7</sup> is selected from the group consisting of H and C<sub>1</sub>-C<sub>3</sub> alkyl, and R<sup>8</sup> is C<sub>1</sub>-C<sub>3</sub> alkyl, wherein R<sup>7</sup> and R<sup>8</sup> are optionally substituted with 1-3 halogens.

Claim 7 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein Y is -OCR<sup>7</sup>R<sup>8</sup>-, R<sup>7</sup> is selected from the group consisting of H and C<sub>1</sub>-C<sub>3</sub> alkyl, and R<sup>8</sup> is C<sub>1</sub>-C<sub>3</sub> alkyl.

Claim 8 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein Y is -CH<sub>2</sub>CHR<sup>6</sup>-, wherein R<sup>6</sup> is selected from the group consisting of C<sub>1</sub>-C<sub>3</sub>alkyl and -OC<sub>1</sub>-C<sub>3</sub>alkyl, which are optionally substituted with 1-3 halogens.

Claim 9 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein A is selected from the group consisting of C<sub>1</sub>-C<sub>3</sub>alkyl, CF<sub>3</sub>, -OCH<sub>3</sub>, -OCF<sub>3</sub>, and halogen.


Claim 10 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein R<sup>2</sup> is selected from C<sub>1</sub>-3 alkyl and CF<sub>3</sub>.

Claim 11 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein R<sup>3</sup> is -C(=O)Phenyl, wherein R<sup>3</sup> is optionally substituted with 1-3 substituents independently selected from the group consisting of -OCH<sub>3</sub>, -OCF<sub>3</sub>, and halogen.

Claim 12 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein p is 1.

Claim 13 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein Z is -CO<sub>2</sub>H.

Claim 14 (currently amended): The compound according to Claim 1, or a pharmaceutically acceptable salt thereof, wherein R<sup>1</sup> is



wherein X is selected from the group consisting of a bond, CH<sub>2</sub>, CH(CH<sub>3</sub>), C(CH<sub>3</sub>)<sub>2</sub>, and C<sub>3</sub>-C<sub>6</sub>cycloalkylidene;

Y is selected from the group consisting of -OCR<sup>7</sup>R<sup>8</sup>- and CH<sub>2</sub>CR<sup>5</sup>R<sup>6</sup>;

Z is selected from -CO<sub>2</sub>H and tetrazole;

A is selected from the group consisting of C<sub>1</sub>-C<sub>3</sub> alkyl, CF<sub>3</sub>, -OCH<sub>3</sub>, -OCF<sub>3</sub>, and halogen;

R<sup>5</sup>, R<sup>6</sup>, and R<sup>7</sup> are each independently selected from the group consisting of H, halogen, C<sub>1</sub>-C<sub>3</sub> alkyl, and -OC<sub>1</sub>-C<sub>3</sub> alkyl, and R<sup>8</sup> is selected from the group consisting of halogen, C<sub>1</sub>-C<sub>3</sub> alkyl, and -OC<sub>1</sub>-C<sub>3</sub> alkyl, wherein C<sub>1</sub>-C<sub>3</sub> alkyl and -OC<sub>1</sub>-C<sub>3</sub> alkyl of R<sup>5</sup>, R<sup>6</sup>, R<sup>7</sup>, and R<sup>8</sup> are each optionally substituted with 1-3 halogens;

q is an integer from 0-3;

p is 1;

R<sup>2</sup> is selected from CF<sub>3</sub> and C<sub>1</sub>-C<sub>3</sub> alkyl;

R<sup>3</sup> is selected from the group consisting of

- (a) 3-benzisoxazolyl,
- (b) 3-benzisothiazolyl,
- (c) 3-benzpyrazolyl,
- (d) Aryl
- (e) -C(=O)Phenyl,
- (f) -C(=O)Heteroaryl,
- (g) -OPhenyl,
- (h) -OHeteroaryl,
- (i) -S(O)<sub>n</sub>Phenyl, and
- (j) -S(O)<sub>n</sub>Heteroaryl,

wherein Heteroaryl is selected from the group consisting of pyridyl and quinolyl,

n is an integer from 0-2, and

R<sup>3</sup> is optionally substituted with 1-3 groups independently selected from halogen, -OC<sub>1</sub>-C<sub>3</sub>alkyl, and C<sub>1</sub>-C<sub>3</sub>alkyl, wherein said -OC<sub>1</sub>-C<sub>3</sub>alkyl and C<sub>1</sub>-C<sub>3</sub>alkyl are optionally substituted with 1-5 halogens.

Claim 15 (currently amended): ~~A~~ The compound according to Claim 14, or a pharmaceutically acceptable salt thereof, wherein

X is selected from a bond and CH<sub>2</sub>;

Y is selected from the group consisting of -OCR<sup>7</sup>R<sup>8</sup>- and -CH<sub>2</sub>CR<sup>5</sup>R<sup>6</sup>- ;

Z is -CO<sub>2</sub>H;

A is selected from the group consisting of CH<sub>3</sub>, CF<sub>3</sub>, -OCH<sub>3</sub>, -OCF<sub>3</sub>, and halogen;

R<sup>5</sup> is H;

R<sup>6</sup> is selected from the group consisting of H, C<sub>1</sub>-C<sub>3</sub> alkyl, and -OC<sub>1</sub>-C<sub>3</sub> alkyl, wherein C<sub>1</sub>-C<sub>3</sub> alkyl, and -OC<sub>1</sub>-C<sub>3</sub> alkyl are optionally substituted with 1-3 halogens;

R<sup>7</sup> is selected from the group consisting of H and C<sub>1</sub>-C<sub>3</sub> alkyl;

R<sup>8</sup> is C<sub>1</sub>-C<sub>3</sub> alkyl;

R<sup>2</sup> is CH<sub>3</sub>;

R<sup>3</sup> is selected from the group consisting of


- (a) 3-benzisoxazolyl,
- (b) Aryl,
- (c) -C(=O)Phenyl,
- (d) -C(=O)Pyridyl, and
- (e) -C(=O)Quinolyl,

wherein R<sup>3</sup> is optionally substituted with 1-3 groups independently selected from halogen, -OC<sub>1</sub>-C<sub>3</sub>alkyl, and C<sub>1</sub>-C<sub>3</sub>alkyl, wherein said -OC<sub>1</sub>-C<sub>3</sub>alkyl and C<sub>1</sub>-C<sub>3</sub>alkyl are optionally substituted with 1-5 halogens; and

q is an integer from 0-3.

Claim 16 (currently amended): The compound according to Claim 15, or a pharmaceutically acceptable salt thereof, wherein q is 0 or 1, and X and YZ are meta or para to each other.

Claim 17 (original): The compound according to Claim 1, said compound having Formula 1A, or a pharmaceutically acceptable salt thereof:



1A

wherein X is selected from a bond and CH<sub>2</sub>;

Y is selected from the group consisting of -OCR<sup>7</sup>R<sup>8</sup>- and -CH<sub>2</sub>CR<sup>5</sup>R<sup>6</sup>- ;

Z is -CO<sub>2</sub>H;

A is selected from the group consisting of CH<sub>3</sub>, CF<sub>3</sub>, -OCH<sub>3</sub>, -OCF<sub>3</sub>, and halogen;

q is 0 or 1;

R<sup>4</sup> is selected from the group consisting of C<sub>1-3</sub>alkyl, CF<sub>3</sub>, -OCH<sub>3</sub>, and -OCF<sub>3</sub> ;

p is 0 or 1;

R<sup>5</sup> is selected from the group consisting of H and C<sub>1-3</sub> alkyl, wherein C<sub>1-3</sub> alkyl is optionally substituted with 1-3 halogens;

R<sup>6</sup> is selected from the group consisting of C<sub>1-3</sub> alkyl and -OC<sub>1-3</sub> alkyl, wherein C<sub>1-3</sub> alkyl, and -OC<sub>1-3</sub> alkyl are optionally substituted with 1-3 halogens;

R<sup>7</sup> is selected from the group consisting of H and C<sub>1-3</sub> alkyl, which is optionally substituted with 1-3 halogens;

R<sup>8</sup> is C<sub>1-3</sub> alkyl, which is optionally substituted with 1-3 halogens;

R<sup>2</sup> is CH<sub>3</sub>; and

R<sup>3</sup> is selected from the group consisting of

- (a) 3-benzisoxazolyl,
- (b) -O-Phenyl, and
- (c) -C(=O)Phenyl,

wherein R<sup>3</sup> is optionally substituted with 1-3 groups independently selected from halogen, -OC<sub>1-3</sub>alkyl, and C<sub>1-3</sub>alkyl, wherein said -OC<sub>1-3</sub>alkyl and C<sub>1-3</sub>alkyl are optionally substituted with 1-5 halogens.

Claim 18 (currently amended): The compound according to Claim 17, or a pharmaceutically acceptable salt thereof, wherein X is a bond;

Y is -OC\*R<sup>7</sup>R<sup>8</sup>-, wherein C\* is an asymmetric carbon atom;

R<sup>4</sup> is selected from the group consisting of CH<sub>3</sub>, CF<sub>3</sub>, -OCH<sub>3</sub>, and -OCF<sub>3</sub> ;

R<sup>7</sup> is H; and

R<sup>8</sup> is C<sub>1</sub>-C<sub>3</sub> alkyl, which is optionally substituted with 1-3 halogens.

Claim 19 (currently amended): The compound according to Claim 18, or a pharmaceutically acceptable salt thereof, wherein the carbon atom C\* of said group Y has the R stereochemical configuration.

Claim 20 (currently amended): The compound according to Claim 18, or a pharmaceutically acceptable salt thereof, wherein the carbon atom C\* of said group Y has the S stereochemical configuration.

Claim 21 (currently amended): The compound according to Claim 18, or a pharmaceutically acceptable salt thereof, wherein R<sup>3</sup> is -C(=O)Phenyl, which is optionally substituted with 1-2 substituents independently selected from the group consisting of Cl, CH<sub>3</sub>, CF<sub>3</sub>, -OCH<sub>3</sub>, and -OCF<sub>3</sub>.

Claim 22 (currently amended): The compound according to Claim 17, or a pharmaceutically acceptable salt thereof, wherein X is CH<sub>2</sub> ;

Y is -OC\*R<sup>7</sup>R<sup>8</sup>-, wherein C\* is an asymmetric carbon atom;

R<sup>4</sup> is selected from the group consisting of CH<sub>3</sub>, CF<sub>3</sub>, -OCH<sub>3</sub>, and -OCF<sub>3</sub> ;

R<sup>7</sup> is H; and

R<sup>8</sup> is C<sub>1</sub>-C<sub>3</sub> alkyl, which is optionally substituted with 1-3 halogens.

Claim 23 (currently amended): The compound according to Claim 22, or a pharmaceutically acceptable salt thereof, wherein the carbon atom C\* of said group Y has the R stereochemical configuration.

Claim 24 (currently amended): The compound according to Claim 22, or a pharmaceutically acceptable salt thereof, wherein the carbon atom C\* of said group Y has the S stereochemical configuration.

Claim 25 (currently amended): The compound according to Claim 22, or a pharmaceutically acceptable salt thereof, wherein R<sup>3</sup> is -C(=O)Phenyl, which is optionally substituted with 1-2 substituents independently selected from the group consisting of Cl, CH<sub>3</sub>, CF<sub>3</sub>, -OCH<sub>3</sub>, and -OCF<sub>3</sub>.

Claim 26 (currently amended): ~~A~~ The compound according to Claim 1 as named below, or a pharmaceutically acceptable salt thereof:

| I  |  |
|----|--|
| 1  | (2R)-2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid       |
| 2  | (2R)-2-(3-{{2-methyl-3-(phenylthio)-1H-indol-1-yl}methyl}phenoxy)butanoic acid                                 |
| 3  | (2S)-2-(2-chloro-5-{{2-methyl-3-(phenylthio)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                       |
| 4  | (2R)-2-(4-chloro-3-{{2-methyl-3-(phenylthio)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                       |
| 5  | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)-3-methylbutanoic acid   |
| 6  | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid            |
| 7  | (2S)-2-(3-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |
| 8  | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid           |
| 9  | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid           |
| 10 | (2S)-2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid      |
| 11 | 2-(3-{{3-(4-chlorophenoxy)-6-methoxy-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                       |
| 12 | 2-(3-{{3-(4-chlorophenoxy)-6-methoxy-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                       |
| 13 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)-3-methylbutanoic acid   |
| 14 | 2-(3-{{3-(4-chlorophenoxy)-6-isopropyl-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                     |

|    |   |
|----|---|
| 15 | 2-(3-{{3-(4-chlorophenoxy)-6-isopropyl-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                |
| 16 | (2R)-2-(3-{{3-(4-methoxyphenoxy)-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |
| 17 | (2S)-2-(3-{{3-(4-methoxyphenoxy)-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |
| 18 | (2R)-2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |
| 19 | (2S)-2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |
| 20 | (2R)-2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |
| 21 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-4-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid       |
| 22 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-4-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid       |
| 23 | 2-(3-{{3-(4-chlorophenoxy)-6-fluoro-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                   |
| 24 | 2-(3-{{3-(4-chlorophenoxy)-6-fluoro-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                   |
| 25 | 2-(3-{{3-(4-chlorophenoxy)-4-fluoro-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                   |
| 26 | 2-(3-{{3-(4-chlorophenoxy)-4-fluoro-2-methyl-1H-indol-1-yl}methyl}phenoxy)butanoic acid                   |
| 27 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl}methyl}phenoxy)butanoic acid       |
| 28 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl}methyl}phenoxy)butanoic acid       |

|    |  |
|----|--|
| 29 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                    |
| 30 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                    |
| 31 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid           |
| 32 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid           |
| 33 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid           |
| 34 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid           |
| 35 | 2-(4-chloro-3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid |
| 36 | 2-(2-chloro-5-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid  |
| 37 | 2-(4-chloro-3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid |
| 38 | (2S)-2-(2-chloro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)propanoic acid     |
| 39 | (2S)-2-(4-chloro-3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)propanoic acid     |
| 40 | 2-(2-chloro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid           |
| 41 | 2-(2-chloro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid  |
| 42 | 2-(2-fluoro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid  |

|    |  |
|----|--|
| 43 | 2-(2-fluoro-5- {[3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl} phenoxy)butanoic acid       |
| 44 | 2-(2-chloro-5- {[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} phenoxy)propanoic acid      |
| 45 | 2-(2-chloro-5- {[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} phenoxy)butanoic acid       |
| 46 | (2S)-2-(2-fluoro-5- {[3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl} phenoxy)propanoic acid |
| 47 | (2R)-2-(2-chloro-5- {[3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl} phenoxy)propanoic acid |
| 48 | (2R)-2-(4-fluoro-3- {[3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl} phenoxy)propanoic acid |
| 49 | (2S)-2-(4-fluoro-3- {[3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl} phenoxy)propanoic acid |
| 50 | (2R)-2-(2-fluoro-5- {[3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl} phenoxy)propanoic acid |
| 51 | (2S)-2-(4-chloro-3- {[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} phenoxy)propanoic acid |
| 52 | 2-(4-chloro-3- {[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} phenoxy)butanoic acid       |
| 53 | 2-(5- {[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} -2-fluorophenoxy)butanoic acid       |
| 54 | (2S)-2-(3- {[3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} phenoxy)propanoic acid         |
| 55 | 2-(3- {[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} phenoxy)-2-methylpropanoic acid      |
| 56 | (2R)-2-(2-chloro-5- {[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl} phenoxy)propanoic acid |

|    |   |
|----|---|
| 57 | 2-(4-chloro-3-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid   |
| 58 | 2-(4-chloro-3-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid            |
| 59 | 2-(4-chloro-3-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid    |
| 60 | 2-{3-[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid                                   |
| 61 | 2-{3-[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid                                   |
| 62 | (2R)-2-(3-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                 |
| 63 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                            |
| 64 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                            |
| 65 | 3-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenyl)-2-(2,2,2-trifluoroethoxy)propanoic acid |
| 66 | 2-(2-chloro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                  |
| 67 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid                  |
| 68 | 2-(2-chloro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                  |
| 69 | 2-(2-fluoro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid         |
| 70 | 2-(2-fluoro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid         |

|    |   |
|----|---|
| 71 | 2-(2-fluoro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid            |
| 72 | 2-(2-fluoro-5-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid            |
| 73 | (2S)-2-(3-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-4-fluorophenoxy)propanoic acid |
| 74 | (2R)-2-(3-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-4-fluorophenoxy)propanoic acid |
| 75 | (2S)-2-(5-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-fluorophenoxy)propanoic acid |
| 76 | (2R)-2-(5-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-fluorophenoxy)propanoic acid |
| 77 | (2S)-2-(2-chloro-5-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid |
| 78 | (2R)-2-(2-chloro-5-{{3-[(4-chlorophenyl)thio]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid |
| 79 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid             |
| 80 | 2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid             |
| 81 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid           |
| 82 | (2R)-2-(3-{{3-(4-chlorophenoxy)-5-iodo-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid         |
| 83 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid            |
| 84 | 2-(3-{{3-(4-methoxyphenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid            |

|    |  |
|----|--|
| 85 | (2R)-2-(3-{{3-[(4-chlorophenyl)sulfinyl]-2-methyl-5-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid                  |
| 86 | 2-{3-[3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid                              |
| 87 | (2S)-2-(3-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl}-4-fluorophenoxy)propanoic acid                  |
| 88 | (2S)-2-(2-chloro-5-{{3-(4-chlorophenoxy)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl]methyl}phenoxy)propanoic acid                  |
| II |  |
| 1  | (2S)-2-(3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid          |
| 2  | (2S)-2-(3-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid           |
| 3  | (2R)-2-(3-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid           |
| 4  | (2R)-2-(3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid          |
| 5  | (2S)-2-(3-{{3-(7-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid          |
| 6  | (2R)-2-(3-{{3-(7-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid          |
| 7  | (2R)-2-(2-chloro-5-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid |
| 8  | (2R)-2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid |
| 9  | (2S)-2-(2-chloro-5-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid |
| 10 | (2S)-2-{3-[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                  |

|    |  |
|----|--|
| 11 | (2R)-2-{3-[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid                   |
| 12 | (2R)-2-{3-[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                  |
| 13 | (2S)-2-{3-[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid                   |
| 14 | (2S)-2-(3-{[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid           |
| 15 | (2R)-2-(3-{[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid           |
| 16 | (2R)-2-(3-{[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)-3-methylbutanoic acid  |
| 17 | (2S)-2-(4-chloro-3-{[3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid  |
| 18 | (2S)-2-(2-chloro-5-{[3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid  |
| 19 | (2R)-2-(4-chloro-3-{[3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid  |
| 20 | (2S)-2-(3-{[3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid            |
| 21 | (2R)-2-(3-{[3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid            |
| 22 | (2S)-2-(4-chloro-3-{[3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid |
| 23 | (2S)-2-(3-{[3-(5-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid          |
| 24 | (2R)-2-(3-{[3-(5-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid          |

|    |  |
|----|--|
| 25 | (2R)-2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid  |
| 26 | (2S)-2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid  |
| 27 | 2-(3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)pentanoic acid               |
| 28 | 2-(3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)pentanoic acid               |
| 29 | (2S)-2-(3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)-3-methylbutanoic acid  |
| 30 | (2R)-2-(2-chloro-5-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid  |
| 31 | (2S)-2-(4-chloro-3-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid   |
| 32 | (2R)-2-(4-chloro-3-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)butanoic acid   |
| 33 | (2S)-2-(5-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-2-fluorophenoxy)propanoic acid  |
| 34 | (2R)-2-(5-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-2-fluorophenoxy)propanoic acid  |
| 35 | (2S)-2-(3-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-4-fluorophenoxy)propanoic acid  |
| 36 | (2R)-2-(3-{{3-(6-chloro-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-4-fluorophenoxy)propanoic acid  |
| 37 | (2S)-2-(2-fluoro-5-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |
| 38 | (2R)-2-(2-fluoro-5-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid |

|     |  |
|-----|--|
| 39  | 2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)-2-methylpropanoic acid |
| 40  | (2S)-2-(4-fluoro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid     |
| 41  | (2R)-2-(4-fluoro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid     |
| 42  | 2-(2-chloro-5-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)pentanoic acid          |
| 43  | 2-(2-chloro-5-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)pentanoic acid          |
| 44  | 2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)pentanoic acid          |
| 45  | 2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)pentanoic acid          |
| 46  | 2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)-3-methylbutanoic acid  |
| 47  | 2-(4-chloro-3-{{3-(6-methoxy-1,2-benzisoxazol-3-yl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)-3-methylbutanoic acid  |
| III |  |
| 1   | (2S)-2-(3-{{3-(4-methoxybenzoyl)-2-methyl-1H-indol-1-yl}methyl}phenoxy)propanoic acid  |
| 2   | (2S)-2-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                             |
| 3   | (2S)-2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                              |
| 4   | (2S)-2-(3-{{3-(4-methoxybenzoyl)-2-methyl-5-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                             |
| 5   | (2R)-2-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                             |

|    |  |
|----|--|
| 6  | (2S)-2-{3-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                             |
| 7  | 2-(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)-2-methylpropanoic acid                 |
| 8  | 2-{3-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid                         |
| 9  | 3-(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)propanoic acid                           |
| 10 | 2-ethoxy-3-(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)propanoic acid                  |
| 11 | 3-(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)-2-(2,2,2-trifluoroethoxy)propanoic acid |
| 12 | 2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid                          |
| 13 | 2-{3-[3-[(6-chloropyridin-3-yl)carbonyl]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid           |
| 14 | 2-{3-[3-[(6-ethoxypyridin-3-yl)carbonyl]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid           |
| 15 | 3-{3-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenyl}propanoic acid                                   |
| 16 | 3-{3-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenyl}-2-(2,2,2-trifluoroethoxy)propanoic acid         |
| 17 | 2-{3-[3-[(2-chloropyridin-3-yl)carbonyl]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid           |
| 18 | 2-methyl-2-{3-[2-methyl-3-[(6-methylpyridin-2-yl)carbonyl]-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid           |
| 19 | 2-methyl-2-{3-[2-methyl-3-(quinolin-2-ylcarbonyl)-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                    |

|    |   |
|----|---|
| 20 | 3-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenyl}-2-(2,2,2-trifluoroethoxy)propanoic acid |
| 21 | 2-{3-[3-(2-chloro-6-methylisonicotinoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid  |
| 22 | 2-{3-[3-(isoquinolin-1-ylcarbonyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}-2-methylpropanoic acid        |
| 23 | (2S)-2-(2-chloro-5-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid   |
| 24 | (2S)-2-(3-{[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}-4-propylphenoxy)propanoic acid    |
| 25 | (2R)-2-(3-{[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}-4-propylphenoxy)propanoic acid    |
| 26 | (2S)-2-(2-chloro-5-{[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid    |
| 27 | (2S)-2-{2-chloro-5-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid           |
| 28 | (2R)-2-(2-chloro-5-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid   |
| 29 | (2R)-2-(2-chloro-5-{[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid    |
| 30 | (2S)-2-(4-chloro-3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid   |
| 31 | (2S)-2-(4-chloro-3-{[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid    |
| 32 | (2R)-2-{2-chloro-5-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid            |
| 33 | (2S)-2-{2-chloro-5-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid            |

|    |   |
|----|---|
| 34 | (2R)-2-(4-chloro-3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid             |
| 35 | (2R)-2-(4-chloro-3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid              |
| 36 | (2S)-2-(3-{1-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]ethyl}phenoxy)propanoic acid                      |
| 37 | (2S)-2-(3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                   |
| 38 | (2R)-2-(3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid                   |
| 39 | 2-ethyl-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-2,3-dihydro-1-benzofuran-2-carboxylic acid |
| 40 | 5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-2-ethyl-2,3-dihydro-1-benzofuran-2-carboxylic acid  |
| 41 | 6-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-2-methylchromane-2-carboxylic acid                 |
| 42 | (2S)-2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                               |
| 43 | (2R)-2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                               |
| 44 | 6-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}-2-methylchromane-2-carboxylic acid                  |
| 45 | (2S)-2-(3-{{3-(4-chloro-2-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid             |
| 46 | (2R)-2-(3-{{3-(4-chloro-2-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid             |
| 47 | (2S)-2-(3-{{3-(4-chloro-2-methylbenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl}methyl}phenoxy)propanoic acid              |

|    |   |
|----|---|
| 48 | (2R)-2-(3-([3-(4-chloro-2-methylbenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid  |
| 49 | (3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)(cyclohexyl)acetic acid         |
| 50 | 2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid                 |
| 51 | 2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)-4-methylpentanoic acid       |
| 52 | 2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)pentanoic acid                |
| 53 | (3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)(phenyl)acetic acid             |
| 54 | 1-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)cyclobutanecarboxylic acid    |
| 55 | (2R)-2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid           |
| 56 | 2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)-3-methylbutanoic acid        |
| 57 | (2S)-2-(3-([3-(4-methoxy-2-methylbenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid |
| 58 | (2R)-2-(3-([3-(4-methoxy-2-methylbenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid |
| 59 | (2S)-2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid            |
| 60 | (2R)-2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid            |
| 61 | 2-(3-([3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)pentanoic acid                |

|    |  |
|----|--|
| 62 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})pentanoic acid                  |
| 63 | (2R)-2-ethyl-7-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}chromane-2-carboxylic acid    |
| 64 | (2R)-7-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-ethylchromane-2-carboxylic acid     |
| 65 | (2R)-7-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-ethylchromane-2-carboxylic acid |
| 66 | (2S)-2-ethyl-7-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}chromane-2-carboxylic acid    |
| 67 | (2S)-7-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-ethylchromane-2-carboxylic acid     |
| 68 | (2S)-2-(3-{{2-methyl-3-(2,4,6-trichlorobenzoyl)-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})propanoic acid      |
| 69 | (2R)-2-(3-{{2-methyl-3-(2,4,6-trichlorobenzoyl)-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})propanoic acid      |
| 70 | (2S)-2-{{3-[2-methyl-3-(quinolin-2-ylcarbonyl)-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}}propanoic acid              |
| 71 | (2R)-2-{{3-[2-methyl-3-(quinolin-2-ylcarbonyl)-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}}propanoic acid              |
| 72 | 2-{{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}}butanoic acid                          |
| 73 | 2-(3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid               |
| 74 | 2-(3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid               |
| 75 | 2-(3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})pentanoic acid              |

|    |   |
|----|---|
| 76 | 2-(3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})pentanoic acid           |
| 77 | 2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}pentanoic acid                        |
| 78 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid        |
| 79 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid        |
| 80 | 2-(4-chloro-3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid        |
| 81 | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid       |
| 82 | 2-(2-chloro-5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid        |
| 83 | 2-(4-chloro-3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid       |
| 84 | 2-(2-chloro-5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid       |
| 85 | 2-(4-chloro-3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid       |
| 86 | 2-(4-chloro-3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid      |
| 87 | 2-(4-chloro-3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid    |
| 88 | 2-(4-chloro-3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid   |
| 89 | (2R)-2-(3-{{3-(2-chloro-4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid |

|     |  |
|-----|--|
| 90  | (2S)-2-(3-{{3-(2-chloro-4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid      |
| 91  | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid             |
| 92  | 2-(3-{{3-(4-chlorobenzoyl)-2-ethyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid              |
| 93  | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpentanoic acid            |
| 94  | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid   |
| 95  | 2-(2-chloro-5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid    |
| 96  | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpentanoic acid  |
| 97  | 2-(2-chloro-5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpentanoic acid   |
| 98  | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-ethylbutanoic acid    |
| 99  | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-ethylpentanoic acid   |
| 100 | 2-(2-chloro-5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-ethylbutanoic acid     |
| 101 | 2-(2-chloro-5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-ethylpentanoic acid    |
| 102 | 2-(3-{{3-(2,4-dichlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3,3,3-trifluoropropanoic acid |
| 103 | 2-(3-{{3-(2-chloro-4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid            |

|     |  |
|-----|--|
| 104 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid           |
| 105 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid           |
| 106 | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid          |
| 107 | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid          |
| 108 | 2-(2-fluoro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid         |
| 109 | 2-(2-fluoro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid         |
| 110 | 2-(2-fluoro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)pentanoic acid         |
| 111 | (4-chlorophenyl)[2-methyl-1-{3-[(1S)-1-(2H-tetrazol-5-yl)ethoxy]benzyl}-6-(trifluoromethoxy)-1H-indol-3-yl]methanone   |
| 112 | 2-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}benzyl)butanoic acid                    |
| 113 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}benzyl)butanoic acid                     |
| 114 | (3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}benzyl)(methyl)malonic acid               |
| 115 | 3-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenyl)-2-phenylpropanoic acid          |
| 116 | 3-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenyl)-2-phenylpropanoic acid           |
| 117 | 2-(2-fluoro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid |

|     |   |
|-----|---|
| 118 | 2-(5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-fluorophenoxy)-3-methylbutanoic acid     |
| 119 | 2-(2-chloro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid    |
| 120 | 2-(2-chloro-5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid     |
| 121 | 3-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenyl)-2-methylpropanoic acid             |
| 122 | 3-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenyl)-2-methylpropanoic acid              |
| 123 | 2-(5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-fluorophenoxy)pentanoic acid             |
| 124 | (2S)-2-{5-[3-[4-(ethylthio)benzoyl]-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-2-fluorophenoxy}propanoic acid           |
| 125 | (2R)-2-(3-{{3-(4-fluorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid                 |
| 126 | (2R)-2-[3-(2-methyl-6-(trifluoromethoxy)-3-[4-(trifluoromethoxy)benzoyl]-1H-indol-1-yl)methyl]phenoxy]propanoic acid      |
| 127 | (2E)-3-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenyl)acrylic acid                    |
| 128 | (2S,3R)-3-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenyl)-2,3-dihydroxypropanoic acid |
| 129 | (4-chlorophenyl)[2-methyl-1-{3-[1-(2H-tetrazol-5-yl)propoxy]benzyl}-6-(trifluoromethoxy)-1H-indol-3-yl]methanone          |
| 130 | (2R)-2-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                 |
| 131 | 2-(2-fluoro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid             |

|     |   |
|-----|---|
| 132 | 2-(2-fluoro-5-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid      |
| 133 | 2-(5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-fluorophenoxy})butanoic acid       |
| 134 | 2-(5-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-2-fluorophenoxy})butanoic acid       |
| 135 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-4,4,4-trifluorobutanoic acid |
| 136 | (2R)-2-(3-{{3-(4-chlorobenzoyl)-2-ethyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid            |
| 137 | (2S)-2-(3-{{3-(4-chlorobenzoyl)-2-ethyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid            |
| 138 | 2-{5-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-2-fluorophenoxy}-2-methylpropanoic acid      |
| 139 | (2S)-2-{5-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-2-fluorophenoxy}propanoic acid          |
| 140 | (2R)-2-{5-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-2-fluorophenoxy}propanoic acid          |
| 141 | 2-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylbutanoic acid       |
| 142 | 2-(3-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpentanoic acid      |
| 143 | 2-(3-{{3-(4-chlorobenzoyl)-2-ethyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid         |
| 144 | 2-(3-{{3-(4-chlorobenzoyl)-2-isopropyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid             |
| 145 | 2-(3-{{3-(4-chlorobenzoyl)-2-propyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid                |

|     |   |
|-----|---|
| 146 | 2-(3-{{3-(4-chlorobenzoyl)-2-propyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid                          |
| 147 | 2-(3-{{3-(4-chlorobenzoyl)-2-propyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})-3-methylbutanoic acid                 |
| 148 | 2-(3-{{3-(4-chlorobenzoyl)-2-propyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})-3-methylbutanoic acid                 |
| 149 | 2-(3-{{3-(4-chlorobenzoyl)-2-ethyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})-3-methylbutanoic acid                  |
| 150 | 2-(3-{{3-(4-chlorobenzoyl)-2-ethyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})-3-methylbutanoic acid                  |
| 151 | 2-(3-{{3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}-4-fluorophenoxy})-4,4,4-trifluorobutanoic acid |
| 152 | 2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-5-fluorophenoxy}-2-methylpropanoic acid                |
| 153 | (2S)-2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-5-fluorophenoxy}propanoic acid                    |
| 154 | (2R)-2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-5-fluorophenoxy}propanoic acid                    |
| 155 | 2-({6-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]pyridin-2-yl}oxy)-2-methylpropanoic acid               |
| 156 | 2-(3-{{3-(4-chlorobenzoyl)-2-(methoxymethyl)-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid                 |
| 157 | 2-(3-{{3-(4-chlorobenzoyl)-2-(chloromethyl)-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid                  |
| 158 | 2-(3-{{3-(4-chlorobenzoyl)-2-(hydroxymethyl)-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid                 |
| 159 | 2-(3-{{2-(bromomethyl)-3-(4-chlorobenzoyl)-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy})butanoic acid                   |

|     |  |
|-----|--|
| 160 | 2-[3-( {2-methyl-6-(trifluoromethoxy)-3-[4-(trifluoromethoxy)benzoyl]-1H-indol-1-yl} methyl)phenoxy]butanoic acid          |
| 161 | 2-[3-( {2-methyl-6-(trifluoromethoxy)-3-[4-(trifluoromethoxy)benzoyl]-1H-indol-1-yl} methyl)phenoxy]butanoic acid          |
| 162 | 3-methyl-2-[3-( {2-methyl-6-(trifluoromethoxy)-3-[4-(trifluoromethoxy)benzoyl]-1H-indol-1-yl} methyl)phenoxy]butanoic acid |
| 163 | 3-methyl-2-[3-( {2-methyl-6-(trifluoromethoxy)-3-[4-(trifluoromethoxy)benzoyl]-1H-indol-1-yl} methyl)phenoxy]butanoic acid |
| 164 | (2R)-2-(3-{[3-(4-chlorobenzoyl)-2-methyl-1H-indol-1-yl]methyl}phenoxy)propanoic acid                                       |
| 165 | (2S)-2-(3-{[3-(4-chlorobenzoyl)-2-methyl-1H-indol-1-yl]methyl}phenoxy)propanoic acid                                       |
| 166 | (2R)-2-(3-{[3-(4-methoxybenzoyl)-2-methyl-1H-indol-1-yl]methyl}phenoxy)propanoic acid                                      |
| 167 | 2-(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}benzyl)butanoic acid                        |
| 168 | 2-( {6-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]pyridin-2-yl} oxy)-2-methylpropanoic acid         |
| 169 | (2R)-2-(3-{[3-(4-chlorobenzoyl)-2-(chloromethyl)-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid           |
| 170 | (2R)-2-(3-{[3-(4-chlorobenzoyl)-2-(fluoromethyl)-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid           |
| 171 | 2-[(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)sulfinyl]-2-methylpropanoic acid    |
| 172 | 2-[(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)sulfonyl]-2-methylpropanoic acid    |
| 173 | 2-[(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)thio]-2-methylpropanoic acid        |

|     |  |
|-----|--|
| 174 | 2-[(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)thio]propanoic acid     |
| 175 | 2-[(3-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenyl)thio]propanoic acid     |
| 176 | (2R)-2-{3-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid              |
| 177 | (2R)-2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid               |
| 178 | (2R)-2-{3-fluoro-5-[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid    |
| 179 | (2R)-2-{3-[3-(4-chlorobenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]-5-fluorophenoxy}butanoic acid      |
| 180 | (2S)-2-(2-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid     |
| 181 | (2R)-2-(2-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid     |
| 182 | 2-(2-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)-2-methylpropanoic acid |
| 183 | (2R)-2-(2-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid      |
| 184 | (2S)-2-(2-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)butanoic acid      |
| 185 | (2S)-2-(4-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid     |
| 186 | (2R)-2-(4-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)propanoic acid     |
| 187 | 2-(4-{[3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]methyl}phenoxy)-2-methylpropanoic acid |

|     |  |
|-----|--|
| 188 | (2R)-2-(4-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid      |
| 189 | 2-(4-{{3-(4-methoxybenzoyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid |
| IV  |  |
| 1   | (2S)-2-(3-{{3-(4-methoxyphenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid      |
| 2   | (2R)-2-(3-{{3-(4-methoxyphenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid      |
| 3   | 2-(3-{{3-(4-methoxyphenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid            |
| 4   | 2-(3-{{3-(4-methoxyphenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid            |
| 5   | (2S)-2-(3-{{3-(4-methoxyphenyl)-2-methyl-4-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid      |
| 6   | (2R)-2-(3-{{3-(4-methoxyphenyl)-2-methyl-4-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)propanoic acid      |
| 7   | 2-(3-{{3-(4-methoxyphenyl)-2-methyl-4-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid            |
| 8   | 2-(3-{{3-(4-methoxyphenyl)-2-methyl-4-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid            |
| 9   | 2-(3-{{3-(4-methoxyphenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid   |
| 10  | 2-(3-{{3-(4-methoxyphenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-3-methylbutanoic acid   |
| 11  | 2-(3-{{3-(4-methoxyphenyl)-6-(trifluoromethoxy)-2-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid |
| 12  | 2-(3-{{3-(4-methoxyphenyl)-6-(trifluoromethoxy)-2-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid |

|    |   |
|----|---|
| 13 | 2-(2-chloro-5-{{3-(4-methoxyphenyl)-6-(trifluoromethoxy)-2-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid |
| 14 | (2S)-2-(3-{{3-(4-chlorophenyl)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                  |
| 15 | (2S)-2-(3-{{3-(4-chlorophenyl)-2-methyl-4-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                  |
| 16 | (2S)-2-{3-[3-(4-chlorophenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                        |
| 17 | (2R)-2-{3-[3-(4-chlorophenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}propanoic acid                        |
| 18 | 2-(3-{{3-(4-chlorophenyl)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                       |
| 19 | 2-(3-{{3-(4-chlorophenyl)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                       |
| 20 | 2-(3-{{3-(4-chlorophenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)butanoic acid                      |
| 21 | 2-(3-{{3-(4-chlorophenyl)-2-methyl-6-(trifluoromethyl)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid             |
| 22 | 2-(3-{{3-(4-chlorophenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl)methyl}phenoxy)-2-methylpropanoic acid            |
| 23 | 2-{3-[3-(4-chlorophenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid                              |
| 24 | 2-{3-[3-(4-chlorophenyl)-2-methyl-6-(trifluoromethoxy)-1H-indol-1-yl]phenoxy}butanoic acid                              |

Claim 27 (currently amended): A pharmaceutical composition comprising a the compound of Claim 1, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier.

Claim 28 (canceled)

Claim 29 (currently amended): A method of treating one or more diseases, disorders, or conditions selected from the group consisting of (1) non-insulin dependent diabetes mellitus (NIDDM), (2) hyperglycemia, (3) low glucose tolerance, (4) insulin resistance, (5) obesity, (6) lipid disorders, (7) dyslipidemia, (8) hyperlipidemia, (9) hypertriglyceridemia, (10) hypercholesterolemia, (11) low HDL levels, (12) high LDL levels, (13) atherosclerosis and its sequelae, (14) vascular restenosis, (15) irritable bowel syndrome, (16) inflammatory bowel disease, (17) Crohn's disease, (18) ulcerative colitis, (19) abdominal obesity, (20) retinopathy, (21) psoriasis, (22) high blood pressure, (23) metabolic syndrome, (24) ovarian hyperandrogenism (polycystic ovarian syndrome), and other diseases, disorders or conditions where insulin resistance is a component, said method comprising the administration of an effective amount of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof.

Claim 30 (currently amended): A method for treating non-insulin dependent (Type 2) diabetes mellitus in a patient in need of such treatment which comprises administering to said patient a therapeutically effective amount of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof.

Claim 31 (currently amended): A method for treating hyperglycemia in a patient in need of such treatment which comprises administering to said patient a therapeutically effective amount of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof.

Claim 32 (currently amended): A method for treating one or more diseases or conditions selected from the group consisting of hypercholesterolemia, atherosclerosis, low HDL levels, high LDL levels, hyperlipidemia, hypertriglyceridemia, and dyslipidemia, which method comprises administering to a patient in need of such treatment a therapeutically effective amount of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof.

Claim 33 (currently amended): A method for treating obesity in a patient in need of such treatment which comprises administering to said patient a therapeutically effective amount of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof.

Claim 34 (currently amended): A method for treating or reducing the risk of developing atherosclerosis in a patient in need of such treatment which comprises administering to said patient a therapeutically effective amount of a the compound of Claim 1 , or a pharmaceutically acceptable salt thereof.

Claim 35 (currently amended): A method of treating one or more diseases, disorders, or conditions selected from the group consisting of (1) non-insulin dependent Type 2 diabetes mellitus (NIDDM), (2) hyperglycemia, (3) low glucose tolerance, (4) insulin resistance, (5) obesity, (6) lipid disorders, (7) dyslipidemia, (8) hyperlipidemia, (9) hypertriglyceridemia, (10) hypercholesterolemia, (11) low HDL levels, (12) high LDL levels, (13) atherosclerosis and its sequelae, (14) vascular restenosis, (15) irritable bowel syndrome, (16) inflammatory bowel disease, (17) Crohn's disease, (18) ulcerative colitis, (19) abdominal obesity, (20) retinopathy, (21) psoriasis, (22) high blood pressure, (23) metabolic syndrome, (24) ovarian hyperandrogenism (polycystic ovarian syndrome), and other diseases, disorders or conditions where insulin resistance is a component, said method comprising the administration of an effective amount of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof, and an effective amount of one or more other compounds selected from the group consisting of:

- (1) PPAR gamma agonists and partial agonists;
- (2) biguanides;
- (3) protein tyrosine phosphatase-1B (PTP-1B) inhibitors;
- (4) dipeptidyl peptidase IV (DP-IV) inhibitors;
- (5) insulin or an insulin mimetic;
- (6) sulfonylureas;
- (7)  $\alpha$ -glucosidase inhibitors;
- (8) agents which improve a patient's lipid profile, said agents being selected from the group consisting of (a) HMG-CoA reductase inhibitors, (b) bile acid sequestrants, (c) nicotinic alcohol, nicotinic acid or a salt thereof, (d) PPAR $\alpha$  agonists, (e) cholesterol absorption inhibitors, (f) acyl CoA:cholesterol acyltransferase (ACAT) inhibitors, (g) CETP inhibitors, and (h) phenolic anti-oxidants;
- (9) PPAR $\alpha$ / $\gamma$ dual agonists;
- (10) PPAR $\delta$  agonists;
- (11) antiobesity compounds;
- (12) ileal bile acid transporter inhibitors;
- (13) anti-inflammatory agents;
- (14) glucagon receptor antagonists;
- (15) GLP-1;
- (16) GIP-1; and

## (17) GLP-1 analogs.

Claim 36 (currently amended): A method for treating one or more diseases or conditions selected from the group consisting of hypercholesterolemia, atherosclerosis, low HDL levels, high LDL levels, hyperlipidemia, hypertriglyceridemia, and dyslipidemia, which method comprises administering to a patient in need of such treatment a therapeutically effective amount of a combination of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof, and an HMG-CoA reductase inhibitor.

Claim 37 (original): The method of Claim 36, wherein the HMG-CoA reductase inhibitor is a statin selected from the group consisting of lovastatin, simvastatin, pravastatin, fluvastatin, atorvastatin, itavastatin, ZD-4522, rivastatin, and rosuvastatin.

Claim 38 (currently amended): A method for treating or reducing the risk of developing atherosclerosis in a patient in need of such treatment comprising the administration to said patient of an effective amount of a combination of a the compound of Claim 1, or a pharmaceutically acceptable salt thereof, and an HMG-CoA reductase inhibitor.

Claim 39 (currently amended): A pharmaceutical composition comprising  
(1) a the compound of Claim 1, or a pharmaceutically acceptable salt thereof;

(2) one or more compounds selected from the group consisting of :

- (a) PPAR gamma agonists and partial agonists;
- (b) biguanides;
- (c) protein tyrosine phosphatase-1B (PTP-1B) inhibitors;
- (d) dipeptidyl peptidase IV (DP-IV) inhibitors;
- (e) insulin or an insulin mimetic;
- (f) sulfonylureas;
- (g)  $\alpha$ -glucosidase inhibitors;


(h) agents which improve a patient's lipid profile, said agents being selected from the group consisting of (i) HMG-CoA reductase inhibitors, (ii) bile acid sequestrants, (iii) nicotinic alcohol, nicotinic acid or a salt thereof, (iv) PPAR $\alpha$  agonists, (v) cholesterol absorption inhibitors, (h) acyl CoA:cholesterol acyltransferase (ACAT) inhibitors, (i) CETP inhibitors, and (j) phenolic anti-oxidants;

- (i) PPAR $\alpha/\gamma$  dual agonists,
- (j) PPAR $\delta$  agonists,
- (k) antiobesity compounds,
- (l) ileal bile acid transporter inhibitors;


- (m) anti-inflammatory agents;
  - (n) glucagon receptor antagonists;
  - (o) GLP-1;
  - (p) GIP-1; and
  - (q) GLP-1 analogs; and
- (3) a pharmaceutically acceptable carrier.

Claim 40 (new): The compound of Claim 1, which is selected from the group consisting of the following compounds, or a pharmaceutically acceptable salt thereof:


(Ex 3)




(Ex 4)




(Ex 5)




(Ex 8)




(Ex 10)




(Ex 11)




(Ex 16)




(Ex 17)




(Ex 21)




(Ex 23)




(Ex 28)




(Ex 29)




(Ex 30)




(Ex 31)




(Ex 32)




Claim 41 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 42 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 43 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 44 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 45 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 46 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 47 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 48 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 49 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 50 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 51 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:




Claim 52 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:



Claim 53 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:



Claim 54 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:



Claim 55 (new): The compound of Claim 40, shown below, or a pharmaceutically acceptable salt thereof:

